METHOD AND SYSTEM FOR GENERATING WEB PAGE HAVING INFORMATION DISPLAYED IN COLOR CELL

Publication number: JP2001175691 (A)

Also published as:

Publication date: 2001-06-29

Inventor(s): HAKMAN KEVIN
Applicant(s): GOODHOME COM

Classification:

- international: G06F17/30; G06F3/033; G06F3/038; G06F3/048; G06F13/00; G09G5/00; G09G5/34; G06F17/30; G06F3/033;

G06F3/048; G06F13/00; G06F15/00; G09G5/00; G09G5/34; (IPC1-7): G06F17/30; G06F3/00; G06F13/00

(IPC1-7): G06F17/30; G06F3/00; G06F13/0


- European: G06F3/048A1S

Application number: JP20000289381 20000922

Priority number(s): US19990183040P 19990922; US20000649275 20000828

Abstract of JP 2001175691 (A)

PROBLEM TO BE SOLVED: To provide a method and a system for displaying hierarchically related information, SOLUTION: A display system displays information relating various categories in a layer on a display and then the information is scrolled on the display. When a user selects displayed information for a category, the display system displays information relating to a subcategory in the selected category and then the information is scrolled on the display. The display system scrolls the information cyclically so that the beginning of the information follows up the end of the information. Further, the display system dynamically generates a page containing the information. After a request to retrieve information is received to dynamically generate the display page, the display system retrieves information wherein the category and subcategory are described from a database.



Data supplied from the esp@cenet database — Worldwide

(19)日本国特許庁(JP)

(12) 公開特許公報(A)

(II)特許出願公問番号 特開2001-175691 (P2001-175691A)

(43)公開日 平成13年6月29日(2001.6.29)

(51) Int.Cl. ⁷		裁別記号		PI		7-73-1*(多考)			
GOOF	17/30	380			G061	F 17.	/30	380A	
		110						110F	
		414						414A	
	3/00	6 5 6				3	/00	656D	
	3/033	380				3	/033	380R	
			容变辨求	存	請求項の数12	OL	外国領出關	(全41頁)	最終頁に統

(21) 出題番号	特膜2000-289381(P2000-289381)	(71)出題人	500445284
			グッドホーム コム
(22) 出期日	平成12年9月22日(2000.9.22)		GoodHome. com.
			アメリカ合衆国 94903 カリフォルニア
(31) 優先権主張番号	60/188040		州 サン ラファエル ノースゲート ド
(32) 優先日	平成11年9月22日(1999.9.22)		ライブ 899 4 フロアー
(33) 優先権主張団	※図 (US)	(72)発明者	ケピン ハックマン
(31) 優先権主張委号	09/649275		アメリカ合衆国 04111 カリフォルニア
(32) 優先日	平成12年8月28日(2000, 8, 28)		州 サン フランシスコ パッテリー ス
(33) 優先権主張図	米図 (US)		トリート 663 スイート 118
		(74)代理人	100077481
			弁理士 谷 義一 (外2名)
		1	


最終質に続く

(54) [発明の名称] カラセル内に表示される情報を有するウェブページを生成する方法およびシステム

(57)【變約】

【課題】 階層的に関連付けられた情報を表示するため の方法およびシステムを提供すること。

【解決手段】 ディスプレイシステムは箱圏内の基々なカテゴリに関連する情報をディスプレイに表示し、したがって、それはディスプレイ中をスクロールする。ユーザが展示された情報をカテゴリに対して選択すると、ディスプレイシステムは選択されたのかって、その情報と表示し、したがって、その情報はディスプレイ中をスクロールする。ディスプレイシステムは、情報の始めが情報の終わりに退励するように精報をスクロールする。ディスプレイシステムはまた、情報を含むページを動物に生意する。表示ページを動物に生命するために情報を含か、大力レインステムはティースプレインステムはまた、情報を含むページを表がに生意するために情報をデータペースから検索するといたすづりおよびサブカテゴリを記述する情報をデータペースから検索することができる。



【特許請求の顧明】

【請求項1】 コンピュータシステムにおいてカテゴリ およびサブカテゴリを備えた階層を通してウェブページ を生成する方法において、

表示するカテゴリの指示を取得し、

指示されたカテゴリのサブカテゴリに関する情報を取得 し、および、

前記取得された情報を表すことをウェブページ情報に追 加し、ここで、当該ウェブページが表示されているとき に、前記取得された情報がディスプレイ上で自動的にス 10 クロールされ、スクロールされるときに前配取得された 情報をユーザが見ることができることを特徴とする方

【請求項2】 請求項1において、

法.

前記ユーザは前記スクロールの速度を制御できることを 特徴とする方法。

【請求項3】 請求項1において、

前記ユーザは前記スクロールの方向を制御できることを 特徴とする方法。

【請求項4】 請求項1において、

前記スクロールの速度および方向を制御するために前記 ユーザが使用することのできる速度スクロールエリアを 前記ウェブページに追加することを含むことを特徴とす

【請求項5】 請求項1において、

インターネットを通じてクライアントコンピュータに前 記ウェブページを送ることを含むことを特徴とする方 块.

を含むことを特徴とする方法。

【請求項7】 請求項1において、

前紀取得された情報は前記サブカテゴリに開達する面像 を含むことを特徴とする方法。

【請求項8】 請求項1において、

アイテムに関連する情報を取得すること、および、前記 取得された情報を前記ウェブページに追加することを含 むととを特徴とする方法。

【請求項9】 関連した情報を階層的に表示する。 コン ビュータシステムにおける方法において、

階層内の複数のカテゴリに関連する情報を表示し、ここ で、政表示された情報がディスプレイトでスクロールさ れること、および、

カテゴリが選択されたときに、前記選択されたカテゴリ 内の複数のサブカテゴリに関連する情報を表示し、こと で、波表示された情報が前記ディスプレイ上で表示され

ることを含むことを特徴とする方法。 【請求項10】 請求項9において、

前記表示することは、動的に生成された表示ページに基 づくことを特徴とする方法。

【請求項11】 請求項9において、

ユーザは、前記情報が表示されるエリアとは別のエリア を使用して前記スクロールの速度および方向を制御する ととができることを特徴とする方法。

【請求項12】 請求項9において、 前記憶報は観瀾方式でスクロールされることを特徴とす

る方法。

【発明の詳細な説明】

[1000]

[発明の属する技術分野] 本発明は一般に情報の表示に 関し、より詳細には、カラセル (carouse1) 内に情報を 表示することに関する。

[0002] 【従来の技術】インターネットは、売り手 (vender) と 職買者との間の電子通信を容易にするので、「電子商取 引」を行うためにますます使用されている。インターネ ットは、通信チャネルを介して相互接続された莫大な数 のコンピュータおよびコンピュータネットワークを含ん でいるため、電子商取引を容易にする。 したがって、多 20 くの購買者および売り手が、インターネットを使用して 電子的に通信することができる。電子商取引とは一般 に、取引に対する当事者のコンピュータシステムを少な くとも部分的に使用して行われる商業取引を指す。例え ば、瞬間者は、パーソナルコンピュータを使用してイン ターネットを介して売り手のコンピュータに接続すると とができる。次いで購留者は、売り手のコンピュータと 対話して取引を行うことができる。

[0003]電子商取引を行うには、インターネットの ワールドワイドウェブ (World WideWeb) 部分が特に助 前記取得された情報は循環方式でスクロールされること 30 けとなる。売り手がそれを介して製品を宣伝し販売する ことのできる多くのウェブサーバが発展してきた。 製品 には、インターネットを介して電子的に購買者に配信さ れるアイテム(例えば音楽)、および従来の流通経路 (例えば一般輸送業者) を介して配送されるアイテム (例えば本) を含めることができる。より一般的には、 アイテムはいずれかの製品、サービス、またはいずれか のタイプの交換可能エンティティである。サーバコンピ ュータシステムは、購入可能なアイテムを掲載したカタ ログの電子パージョンを提供することができる。潜在購 買者であるユーザは、ブラウザを使用してカタログをブ ラウズ (browse) し、購入すべき様々なアイテムを選択 することができる。ユーザが購入すべきアイテムの選択 を終了すると、サーバコンピュータシステムは、アイテ ムの注文を終了するための情報を入力するようユーザに 要求する。この注文情報は、瞬買者の名前、瞬買者のク レジットカード番号、および往文に対する発送住所を含 む場合がある。次いで、サーバコンピュータシステムは **通常** クライアントコンピュータシステムに確認用ウェ ブページを送信することによって注文を確認し、アイテ

50 ムの出荷を計画する。

【0004】カタログ内のアイテムは、しばしば、カテ ゴリおよびサブカテゴリ内に階層的に模成される。階滑 的に構成された情報を見るために、ユーザが階層をブラ ウズすることを可能にするためのウェブページが提供さ れる場合がある。階層をブラウジング (browsing) する とき、カテゴリのリストが表示される。列挙されたカテ ゴリをユーザが選択すると、選択したカテゴリ内のサブ カテゴリを列挙した別のウェブページが提供される。サ ブカテゴリのないカテゴリをユーザが選択すると、その カテゴリ内のアイテムを記述する情報を有するウェブペ 10 ージが提供される。次いでユーザは、アイテムを選択し て、そのアイテムに関するより詳細な情報を見る。また はそのアイテムを購入するための注文をすることができ る。例えば、カタログが電子機器を記載する場合。ある カテゴリはコンピュータであり、そのサブカテゴリはバ ーソナルコンピュータ、ビジネスコンピュータ、および メインフレームコンピュータであることがある。 パーソ ナルコンピュータのサブカテゴリは、IBM互換やAp pleなどのサブカテゴリを含むことがある。 [0005]

【発明が解決しようとする課題】 ウェブページに情報が 提供されるとき、すべての情報を同時に見られるのが常 に可能というわけではない。例えば、カテゴリが20個 または30個のアイテムを有する場合、各アイテムの商 像およびテキスト記述を同時にディスプレイ装置上に表 示するのは不可能なことがある。従来のブラウザによれ ば、ユーザは、そのような情報をウェブページ上でスク ロールすることができる。 通常、ユーザは、スクロール パー上のサムを選択して、手動で情報をスクロールす る。しかし、このようなスクロール技法の使用は、欠点 30 となり得る。特に、ユーザは、ウェブページ上で情報を スクロールするために時間を費やしたがらないことがあ る。また、初心者ユーザは、どのように手助スクロール 技法を使用して見えない情報にアクセスするかを知らな いことがある。いずれの場合も、ユーザは、ウェブペー ジの始めにある情報を見るだけとなる。したがって、と のようなユーザは、ウェブページの始めに表示されない アイテムを購入する見込みがないことになる。 【0006】サブカテゴリおよびアイテムに関連する情

報を手動でスクロールしなければならない欠点を回避す 40 るような方法で、階層的に構成されたデータを表示する ことのできるシステムを有することが有利であろう。 [0007]

【課題を解決するための手段】階層的に関連付けられた 情報を表示するための、コンピュータベースの方法およ びシステムが提供される。ディスプレイシステムは、階 層内の様々なカテゴリに関連する情報をディスプレイ装 置上に表示する。表示された情報はディスプレイ中をス クロールし、したがって、ユーザがコンピュータと耕続

が表示された情報をカテゴリに対して選択すると、表示 された情報は選択されたカテゴリ内のサブカテゴリに関 連する情報を表示し、したがってその情報がディスプレ イ中をスクロールする。一実施形態においてディスプレ イシステムは、情報の終わりに情報の始めが追随し、 逆 もまたそうなあるように循環方式で情報をスクロールす る。ディスプレイシステムはまた、情報を含む表示ペー ジ (例えばウェブページ) を助的に生成することもでき る。表示ページを動的に生成するために情報を検索する 要求が受信された後、ディスプレイシステムは、カテゴ リおよびサブカテゴリを記述する情報をデータベースか ら検索することができる。 このようにして、 スクロール される情報は、要求を受信する前にウェブページ中で節 的に定義される必要がない。ディスプレイシステムはま た、ユーザがスクロールの速度および方向を制御できる ようにもする。一実施形態においてディスプレイシステ ムは、スクロールエリア内に情報を表示し、ユーザがス クロールの速度および方向を指定するために使用できる 別個の速度スクロールエリアを提供する。 スクロールの 20 速度および方向は、速度スクロールエリアの中心からの カーソルの距離および方向によって示すことができる。 [0008]

【発明の実施の形態】情報をカラセル内に表示するため の方法およびシステムが提供される。一実施形態におい てディスプレイシステムは、カテゴリの階層をブラウズ (browse) するためのウェブページを生成する。ディス ブレイシステムは、選択されたカテゴリに関連するウェ ブページに対する要求を受け取ると動的にウェブページ を生成する。要求を受け取るのに応答してディスプレイ システムは、選択されたカテゴリのサブカテゴリに関連 する情報を検索する。次いでディスプレイシステムは 検索した情報を表示するためのウェブページを生成す る。ウェブページが表示されると、自動スクロールエリ アにその情報が表示される。自動スクロールエリアは ユーザによる継続的な対話なしで情報が水平と垂直のい ずれかに自動的にスクロールされるエリアである。一実 施形態において、スクロールエリアは「カラセル (caro usel)」と呼ばれる。というのは、ディスプレイシステ ムが情報を循環方式で表示する、すなわち、情報の終わ りに情報の始めが連続的なループで追随するからであ

【0009】表示空間システムは、ユーザがスクロール エリア内に表示されている情報を選択することを可能に する。 情報は様々な方式 (例えばマウスを上に持ってき たりクリックしたりする) で選択することができる。-実施形態において、ユーザがカーソルをスクロールエリ ア内の情報の上に助かすと、ディスプレイシステムは追 加の関連情報をスクロールエリアの外に表示する。ユー ザがスクロールエリア内の情報をクリックすると、ディ 的に対話して情報をスクロールする必要はない。ユーザ 50 スプレイシステムは選択された情報に関連する別のウェ

ブページを表示する。例えば、様々なカテゴリに関連す る情報が現時点でスクロールエリア内に表示されている 場合、ユーザがあるカテゴリ内の情報上でクリックする と. ディスプレイシステムは選択されたカテゴリのサブ カテゴリに関連する情報を含むスクロールエリアを有す るウェブページを動的に生成する。このようにして、ス クロールエリアを使用して階層のエンティティ (カテゴ リおよびアイテム) をブラウズすることができる。ディ スプレイシステムはブラウズ階層を記述する情報にアク セスすることによってウェブページを動的に生成する が、このブラウズ階層はデータベースにストアすること ができる。エンティティに関連する情報は、エンティテ ィの画像およびテキスト記述を含むことができる。 【0010】ディスプレイシステムは、ユーザがスクロ ールの速度および方向を選択することを可能にする。-実施形態においてディスプレイシステムは、ユーザがス クロールの速度および方向を指示するために使用できる 速度スクロールエリアを提供する。ユーザが速度スクロ ールエリアの右半分を選択すると、スクロールエリア内 の情報は左にスクロールして右へと情報をブラウズす る。ユーザが速度スクロールエリアの左半分を選択する と、スクロールエリア内の情報は右にスクロールして左 へと情報をブラウズする。ユーザが選択する速度スクロ ールエリアの中心からの距離は、スクロールの速度を示 す。特に、ユーザが中心から最も違い速度スクロールエ リアの一部分を選択するとスクロールは最速となる。ユ ーザが速度スクロールエリアの中心を選択するとスクロ ールは停止する。速度スクロールエリアの一部分の避択 は、ユーザが速度スクロールエリアの上にカーソルを位 がカーソルを速度スクロールエリアの外に動かすと、ス クロールは最後に指定された速度および方向で供給する ことができる、あるいは停止することができる。例え ば、ユーザが速度スクロールエリアからスクロールエリ アにカーソルを助かす場合、ディスプレイシステムは、 スクロールを停止してユーザにスクロールエリア内の倍 報を選択する概会を与えることができる。 一実施形態に おいてディスプレイシステムは、停止するときに販座に 停止するのではなくスクロールを減速することができ、 より視覚的に心地よい結果を提示することができる。 【0011】図1~6に、一実施形態においてディスプ レイ装置により生成されたウェブページの例を示す。こ の例においてディスプレイシステムは、ユーザが家具店 で販売されているアイテムをブラウズすることを可能に する。家具店にあるアイテムは、階層的に橡成されてい る(例えば「寝室」および「主寝室」)。図1に、カラ セルを使用するウェブページのレイアウトを示す。ウェ ブページ100は、階層パスエリア101、スクロール エリア102、速度スクロールエリア103、カテゴリ

よびナビゲーションエリア106を含む。階層パスエリ アは、階層のルートカテゴリから現在選択されているカ テゴリへのパス中のカテゴリの名前を列挙する。この例 では、ウェブページはカテゴリ「ライフスタイルで買い 物を (shop by lifestyle) 」に対する情報を表示して いる。スクロールエリアは、「海岸風 (Coastal)」1 07、「クラシック (Classic) 」108、「英国カン トリー (English Country) 」109、「アーバン (Urb an) J 1 1 0 のサブカテゴリに関連する情報を含む。各 10 サブカテゴリに対する情報は、そのサブカテゴリに関連 する關係を含む。速度スクロールエリアは、この例では スクロールエリアとは別個である。ユーザが速度スクロ ールエリア内のカーソルを位置決めするとき、スクロー ルの速度が調節される。カーソルが速度スクロールエリ アの右半分に位置決めされるときは、スクロールエリア 内の情報は左にスクロールされ、新しい情報が右に表示 される。カーソルが速度スクロールエリアの左半分に位 置決めされるときは、スクロールエリア内の情報は右に スクロールされ、新しい情報が左に表示される。 速度ス クロールエリアの中心点111からの距離はスクロール の速度を示す。カーソルがスクロールエリアの最も左の 部分または最も右の部分に位置決めされるときは、スク ロールは最速になる。カテゴリ情報エリアは、現在選択 されているカテゴリ、この例では「ライフスタイルで買 い物を」カテゴリに関連する情報を表示する。ユーザが カーソルをスクロールエリア内の情報の上に位置させる ときは、ディスプレイシステムは、対応するサブカテゴ リに関連する追加の情報をサブカテゴリ情報エリア内に 表示する。この例では、サブカテゴリ情報エリアは「英 置させ(position)たときに行うことができる。ユーザ 30 国カントリー」サブカテゴリに関連する情報を表示して いる。ナビゲーションエリアは、ユーザが買い物かごウ ェブページなどの他の様々なウェブページを選択するこ とを可能にする。 【0012】図2に、ウェブページのカラセル中にある

情報のスクロールを示す。ウェブページ200は ウェ ブページ100がそのカラセル中の情報を左にスクロー ルされたものに対応する。この例では、スクロールエリ ア202は、図1のスクロールエリア102中の情報に 対して相対的に左からスクロールされてきたサブカテゴ 40 りに関連する情報を含む。例えば、「アーバン」サブカ テゴリに対する情報が図1では位置110に示され、図 2では左に動かされて位置210に示されている。 スク ロールエリア内の情報が左にスクロールされるにつれ て、適知のサブカテゴリに対する情報が右に表示され る。この例では、「田舎風 (Rustic) I サブカテゴリ2 11に関連する情報が表示されている。スクロールエリ アの最も右のエリアにある情報は「海岸風」サブカチゴ リに間違する情報を表示している。 図1では、「海岸 風」サブカテゴリに対する情報がスクロールエリアの最 情報エリア104、サブカテゴリ情報エリア105、お 50 も左の部分に表示されていた。したがって、スクロール

エリアの右にある「海岸風」サブカテゴリに関連する情 報の表示は循環スクロールに対応し、すなわち、最後の 情報に最初の情報が追随し、逆方向にスクロールすると きはその逆になる。サブカテゴリ情報エリア内の情報 は、ユーザによって最後に選択されたサブカテゴリに対 応する。

【0013】図3に、ユーザがカーソルをカラセル中の 新しいサブカテゴリに対する情報の上に動かした場合の ウェブページを示す。 ウェブページ300は、 図2のス クロールエリアに対応するスクロールエリア302を含 10 む。しかし、サブカテゴリ情報エリア305は「英国カ ントリー」ではなく、「田舎風」サブカテゴリに間違す る情報を含む。ユーザがカーソルを「田舎風」サブカテ ゴリに対する情報311の上に動かすと、ディスプレイ システムは、そのサブカテゴリに関連する追加の管報を サブカテゴリ情報エリアに表示する。

【0014】図4に、ユーザがカラセル中のサブカテゴ リに対する情報を選択することによって階層を下方にブ ラウズすることを選択した場合のウェブページを示す。 サブカテゴリに関連する情報を有するスクロールエリア 402を含む。この例では、「英国カントリー」カテゴ リのサブカテゴリは、「リピングルーム」お上び「蛇 室」である。この例においてスクロールエリアはまた、 「リピングルーム」および「寝室」サブカテゴリ内のア イテムに関連する情報も含む。すなわち、最下レベルの カテゴリおよびそれらの各カテゴリ内のアイテムが同一 カラセル内に一緒に表示される。情報407は「リビン グルーム」サブカテゴリに関連する。情報エリア408 ~412は「リビングルーム」サブカテゴリ内のアイテ 30 ムに関連する情報を含む。例えば、情報エリア408 は、サブカテゴリ情報エリア405中に現在記述されて いるソファの画像を含む。この例において、ディスプレ イシステムは葉サブカテゴリに関連する情報をそのサブ カテゴリ内のアイテムと共に同時に表示しているが、 莹 サブカテゴリはスクロールエリア内にそれらだけで表示 することもでき、葉サブカテゴリ内のアイテムに関連す る情報は、その葉サブカテゴリに関連する情報が選択さ れるときに表示することもできることを、当業者なら理 解するであろう。

【0015】図5に、ユーザが「リビングルーム」サブ カテゴリを選択した後のウェブページを示す。ウェブペ 一ジ500は、「リビングルーム」サブカテゴリに関す る追加情報を含んだサブカテゴリ情報エリアを含む。デ ィスプレイシステムは、ユーザがカーソルをスクロール エリア502中の「リビングルーム」サブカテゴリに対 する情報エリア507の上に助かしたときに、この追加 情報を表示する。

【0016】図6に、ユーザがサブカテゴリ内のアイテ

00は、スクロールエリア802の情報エリア609中 に記述されたアイテムに関する追加情報を含んだサブカ テゴリ情報エリア805を含む。ディスプレイシステム は、ユーザがカーソルを情報エリア809の上に動かし たときに、この追加情報を表示する。

【0017】図7は、一実施形態におけるディスプレイ システムの構成要素を示すプロック図である。クライア ントコンピュータ701.およびサーバコンピュータ70 3はインターネット702を介して相互接続されてい る。コンピュータは、中央処理装置、メモリ、入力装置 (例えばキーボードおよびポインティングデバイス)

出力装置(例えばディスプレイ装置)、およびストレー ジ装置 (例えばディスクドライブ) を含む。 メモリおよ びストレージ装置は、ディスプレイシステムを実施する コンピュータ命令を含むことのできるコンピュータ読取 可能な媒体である。クライアントコンピュータは、イン ターネットを介してサーバコンピュータのウェブページ にアクセスするためのブラウザを含むことができる。 サ ーパコンピュータはディスプレイシステムを実装し、従 ウェブページ400は、「英国カントリー」カテゴリの 20 来のサーバエンジン705、製品(アイテム)データベ ース706、製品階層707、およびウェブページ生成 構成要素708を含む。サーバエンジンはインターネッ トを介してリソース (例えばウェブページ) に対する要 求を受信し、そのリソースの生成および伝送を調整す る。ウェブページ生成構成要素は製品階層内のカテゴリ に対応するウェブページに対する要求を受信し、それら のカテゴリに対するウェブページを生成する。

> 【0018】ディスプレイシステムの概念がワールドワ イドウェブ以外の環境でも使用できることを、当業者な **ら理解するであろう。例えば、ディスプレイシステム** は、ディスプレイ(display)に情報を直接告き込むこ とによって、あるいは情報の表示を創御するための表示 ページ(HTMLペースのウェブページ以外)を生成す ることによって、ウェブページを使用せずにカラセルを 使用して階層情報を表わす表示を生成することができ る。また、ローカルエリアネットワーク、ワイドエリア ネットワーク、ポイントツーポイント、ダイヤルアップ 接続など、インターネット以外の様々な通信チャネルを 使用することもできる。サーバシステムはまた、ディス プレイシステムをサポートできるハードウェアまたはソ フトウェアのどんな組合せを含んでいてもよい。ウェブ サーバは特に、実際に複数のコンピュータを含むてとが できる。クライアントシステムは、サーバシステムと対 話するハードウェアとソフトウェアのどんな組合せを含 んでいてもよい。

【0019】図8は、階層の例の一部を示すプロック図 である。階層内の各エンティティはノードによって表さ れている。この例では、階層部分は家具店に関連するサ ブカテゴリに対応している。「家具店」カテゴリはノー ムを選択した後のウェブページを示す。ウェブページ8 50 ド801 により表されている。「家具店」カテゴリは、

それぞれノード802~808により表された「夏国カントリー」、「アーバン」、「田舎風」、「河神[版]、「クラシック」のサブカテコリを有する。「美国カントリー」サブカテゴリは、ノード807~808により表された「寝室」サブカテゴリをはザリンとグールーと、サブカテゴリをはサブカテゴリを有する。「リヒングルーム」サブカテゴリは、第ノード809~810により表されたソファアイテムもよびボックスアイチムを含

10020] 図9は、階層の呼におけるノードの内容を 10 元すブロック図である。ノード901は期間内のカテゴリに内が広ずる。ノードは、ノード回線902、ノード2 近路903、ノード2 小下級・一般線902、ノード2 近路903、ノード2 小下級・一般線902、フード2 小下級・エフ・レーステムは、カテゴリまたはアイテムに対してスクロール、エリア内に表示する情報としてノード画像を使用する。ディスフレインステムは、カーソルがそのカテゴリに対する情報をリアの上に助かされることによってそのカテゴリが選択されるとき、プフルブリ的機にリア内にノード記述を表示する。ノードタイトルにカアゴリの名称 20 を表示するために使用される。ディスフレインステムは、そのカテゴリに対するサブカテゴリの画像の上に子門環範隊をオーバーレイすることができる。ディードテープがレステードトでのボインタを含む。

【0021】図10は、特定のカテゴリに対するウェブ ページを生成する処理を示す流れ図である。この処理を 行うファンクション(function)は、カテゴリの織別子 内で渡される。カテゴリの識別子は、ルートノードから そのカテゴリを表すノードまでの階層内の各ノードの名 称を含むことができる。ステップ1001において、フ 30 ァンクションによって製品階層内でカテゴリノードの位 置を突き止める(locate)。カテゴリノードは、ルート ノードから始まる階層を横断して、さらに、通過したカ テゴリの識別子中に示された各ノードにアクセスする (visit) ことによって位置を突き止めることができ る。ステップ1002~1005において、ファンケシ ョンは通過したカテゴリのサブカテゴリに関連する情報 の検索をループする。ステップ1002において、ファ ンクションは突き止めた (Tocated) ノードの次の子ノ ードを選択する。ステップ1003において、すべての 40 子ノードがすでに選択されていれば、ファンクションは ステップ1004に進み、そうでない場合は、ファンク ションはステップ1006に進む。ステップ1004に おいて、ファンクションは選択した子ノードの関係への リンクをウェブページに追加する。ステップ1005に おいて、ファンクションは選択した子ノードの記述をウ ェブページに追加し、ステップ1002にループして次 の子ノードを選択する。ウェブページには記述が追加さ れるが、この記述は対応するカテゴリが選択されるまで

ンクションは突き止めたノー「の記述をウェブページの カデリ前線エリアに追加する。ステップ1007にお いて、ファンクションはカデリへの階層バスをプ ページの階層エリアに追加する。このステップは、ウェ ブページの階層エリアに信頼をストアすることに担当 ウま、ステップ1008において、ファンクションはカデゴリの将兵側像を その子面像に追加し、そして終了する。

【0022】図11は、スクロールエリア内の表示を進 めるための処理を示す流れ図である。この処理を実施す るとのファンクションはクライアントコンピュータ上で 動作し、頻繁に(例えば10分の1秒毎に)呼び出され て最小限のちらつきでスクロールが用いられるようにな る。ステップ1101において、ファンクションはスク ロールが最後に更新されてからの時間を計算する。ステ ップ1102において、ファンクションはピクセルノ秋 のスクロール速度に基づいてスクロールエリア内の画像 を進めるために、ピクセルの数を計算する。 ステップ 1 103において、ファンクションはスクロールエリア情 報のどのピクセルをスクロールエリアの中心に表示すべ きかを決定する。ビクセルには、情報の始めから終わり まで番号を付けることができる。始めが終わりに追随す るので、中心点は、現在の中心と進めるべきピクセル数 を足したものをカラセル中に表示すべき情報の長さで割 った余りとなる。ステップ1104において、ファンク ションは表示すべきカラセル画像を生成する。ステップ 1105において、ファンクションは生成したカラセル を表示し、終了する。

[0023] 图12は、スクロールエリアの選択に基づ いて遠度を決定するための処理を示す彼れ間である。ス テップ1201において、ファンクションはカーツルの 位置と遠度スクロールエリアの中心位置門の距離を決定 する。ステップ1202において、ファンクションはス クロールの速度および方向を設定する。方向は速度の符 等(すなわち正まだは負)で示される。次いでファンク ションは終する。

【0024】駅買システムの具体的な実施形態を例示の目的で述べたが、本発明の起曽なよび範囲を逸射することなく様々な修正を加えることができることが、前述のことから照解されるであうり、したがって、本発明は、 関記の特許論求の範囲以外によっては限定されることが

【図面の簡単な説明】

【図1】カラセルを使用するウェブページのレイアウト を示す図である。

【図2】ウェブページのカラセル中にある情報のスクロ ールを示す図である。

れるが、この紀述は対応するカテゴリが選択されるまで 【図3】ユーザがカーソルをカラセル中の新しいサブカ 見えない場合がある。ステップ1008において、ファ 50 テゴリに対する情報の上に動かした場合のウェブページ 11


100, 200, 300, 400, 500, 600 **

【符号の説明】


12 *ェブベージ を示す図である。 【図4】ユーザがカラセル中のサブカテゴリに対する情 101 階層パスエリア 102, 202, 302, 402, 502, 602 3 報を選択することによって階層を下方にブラウズするこ とを選択した場合のウェブページを示す図である。 クロールエリア 【図5】ユーザが「リビングルーム」サブカテゴリを遊 103 速度スクロールエリア 104 カテゴリ情報エリア 択した後のウェブページを示す図である。 【図6】ユーザがサブカテゴリ内のアイテムを選択した 105、305、405、805 サブカテゴリ情報エ 後のウェブページを示す図である。 リア 【図7】一実施形態におけるディスプレイシステムの構 106 ナビゲーションエリア 成要素を示すブロック図である。 10 701 クライアントコンピュータ 【図8】階層の例の一部分を表すブロック図である。 702 インターネット 【図9】階層の例におけるノードの内容を示すブロック 703 サーバコンピュータ 図である。 705 サーバエンジン 【図10】特定のカテゴリに対するウェブページを生成 708 製品データベース 707 製品階層 する処理を示す流れ図である。 【図11】スクロールエリア内の表示を進める処理を示 708 ウェブページ生成機成製素 902 ノード画像 す流れ図である。 【図12】速度スクロールエリアの選択に基づいて速度 903 ノード紀述 を決定するための処理を示す流れ図である。 904 ノードタイトル

(図9)


20 905 子背景画像 906 子ノードテーブル









(図2)




[図3]




[図4]









[図8]





(図7)



[図8]







フロントページの続き

(51)Int.Cl.'		鐵別記号	FI		テヤント (参考)
GOSF	13/00	550	G06F 13/0	0 550A	
	15/00	310	15/0	o 310R	
G09G	5/00	510	G09G 5/0	0 5102	;
	5/34		5/3	14 A	

(71)出席人 500445284

899 Northgate Drive, 4th Floor, San Raf ael, California 94903 U.S.A.

【外国語明細書】

1 . Title of the Invention

METHOD AND SYSTEM FOR GENERATING WEB PAGES WITH INFORMATION DISPLAYED IN A CAROUSEL.

2. Claims

 A method in a computer system for generating web pages for browsing through a hierarchy, the hierarchy having categories and sub-categories, the method comprising:

receiving an indication of a category to display;

retrieving information relating to the sub-categories of the indicated

category; and

adding to a web page information describing the retrieved information wherein when the web page is displayed the retrieved information is automatically scrolled on a display so that a user can view the retrieved information as it is scrolled.

- The method of claim 1 wherein the user can control the speed of the scroll.
- The method of claim 1 wherein the user can control the direction of the scroll.
- The method of claim 1 including adding a speed scroll area to the web
 page that the uses can use to control the speed and direction of the scrolling.
- The method of claim 1 including sending the web page to a client computer via the Internet.
- 6. The method of claim 1 wherein the retrieved information is scrolled in a rotating manner,
- The method of claim 1 wherein the retrieved information includes images relating to the sub-categories.
- The method of claim 1 methoding retrieving information relating to items and adding the retrieved information to the web page.

 A method in a computer system for displaying hierarchically related information, the method comprising:

displaying information relating to a plurality of categories within the hierarchy wherein the displayed information is scrolled on a display; and

when a category is selected, displaying information relating to a plurality of sub-categories within the selected category wherein the displayed information is scrolled on the display.

- The method of claim 9 wherein the displaying is based on display pages that are dynamically generated.
- The method of claim 9 wherein a user can control the speed and direction of the serolling using an area that is separate from the area in which the information is displayed.
- 12. The method of claim 9 wherein the information is scrolled in a rotating manner.
- 3. Detailed Description of the Invention

TECHNICAL FIELD

The present invention relates generally to displaying of information and, more particularly, to displaying of information within a carousel.

BACKGROUND

Because the Intenet facilitates electronic communications between vendors and purchasers, it is increasingly being used to conduct "electronic commerce." The Intenet facilitates electronic commerce because it comprises a vest number of computers and computer networks that are interconnected through communication channels. Thus, many purchasers and vendors can communicate electronically using the Internet. Electronic commerce refers generally to commercial transactions that are at least partially conducted using the computer systems of the parties to the transactions. For example, a parchaser can use a personal computer to connect via the Internet to a vendor's computer. The purchaser can then interact with the vendor's computer to conduct the transactions.

The World Wide Web porsion of the Internet is especially conductive to conducting electronic commerce. Many web servers have been developed through which condors can odvertise and sell products. The products can include items (e.g., music) that are delivered electrosically to the purchaser over the Internet and items (e.g., hooks) that are delivered through conventional distribution channels (e.g., a common carrier). More generally, an item is any product, service, or exchangeable entity of any type. A server computer system may provide an electronic version of a catalog that lists the items that are availabile to the purchased. A user, who is a potential purchaser, may browse through the catalog using a browser and select various items that are to be purchased. When the user has completed selecting the items to be purchased, the server computer system then prompts the user for information to complete the ordering of the items. This order information may include the purchaser's name, the purchaser's seekl card number, and a shipping address for the order. The server computer system then privately confirms the order by sending a confirming web page to the client computer system and schedules shipment of the items.

The Items within a catalog are often organized hierarchically into excepores and sub-categories. To view information that is hierarchically organized, web pages may be provided for allowing a user to browse through the hierarchy. When browsing the hierarchy, a list of categories is displayed. When a user selects a listed category, another web page is provided that lists the sub-categories within the selected category. When a suer selects a category that has no sub-categories, then a web page with information describing the items within that category is provided. The user can then select an item to view more destaide information about the item or to place an order to purchase the item. For example, if the catalog describes electronic equipment, one category may be computers and its sub-categories may be personal computers, business computers, and mainframe computers. The personal computer sub-category may include sub-categories such as IBM-compatible and Annile.

When information is provided on a web page, it is not always, possible to have all the information visible simultaneously. For extribiple, if a category has 20 or 30 litems, it may not be possible to display un image and a textual description of each item simultaneously on a display. Conventional browsers allow users to scroll through such information on a web page. Typically, a user selects a dumb on a scroll but to manually scroll through the information. The use of such a scrolling technique, however, can be information on a web page. Also, novice users may not know how to use the manual scrolling technique to access the nonvisible information. In either case, the user would only view information at the beginning of the web page. Thus, such users would be unlikely to nurshess irons that are not distalted at the beginning of the web page.

It would be desirable to have a system in which hierarchically organized data can be displayed in such a way that avoids the disadvantage of having to manually scroll through the information relating to sub-entegories and items.

SUMMARY OF THE INVENTION

A computer-based method and system for displaying hierarchically related information is provided. The display system displays on a display information related to various categories within the hierarchy. The displayed information scrolls across the display so that a user need not continually interact with the computer to scroll the information. When a user selects the displayed information for a category, the display system displays information relating to sub-categories within the selected category so that that information scrolls across the display. In one embodiment, the display system scrolls the information in a rotating manner such that the start of the information follows the end of the information and vice versa. The display system may also dynamically generate display pages (e.g., web pages) that contain the information. The display system may retrieve the information describing the categories and sub-categories from a database after a request to retrieve the information is received to dynamically generate the display page. In this way, the scrolled information need not be statically defined in a web page prior to receiving the request. The display system may also allow a user to control the speed and direction of scrolling. In one embodiment, the display system displays the information in a scroll area and provides a separate speed scroll area through which a user can specify the speed and direction of the scrolling. The speed and direction of the scrolling may be indicated by the distance and direction of the cursor from the center of the speed scrail area.

DETAILED DESCRIPTION OF THE INVENTION

A method and system for displaying information within a carousel is provided in one embodiment, the display system generates web pages for browsing through a hierarchy of categories. The display system generates web pages for browsing through a hierarchy of categories. The display system dynamically generates a web page when it receives a request for a web page relating to a selected category. In response to receiving the request, the display system terrieves information relating to the sub-categories of the selected category. The display system then generates a web page for displaying the retrieved information. When the web page is displayed, the information is displayed it an automatic soroll area. An automatic seroll area is an area in which the information is automatically aerolled either horizontally or vertically without continual interaction by a user. In one embodiment, the scroll area is referred to as a "caroused," because the display system serolls the information in a totating manner, that is the end of the information is followed by the beginning of information in a continuous loop.

The display space system allows the user to select information being displayed within the scroll area. The information may be selected in various ways (e.g., mouse over or clicking). In one embodiment, when a user moves the cursor over information in the scroll area, the display system displays additional related information outside the seroll area. When the user clicks on information in the scroll area, the display system displays another web page relating to the selected information. For example, if information retailing to various categories is currently being displayed in the seroll area, then when the user clicks on information in one category, the display system dynamically generates a web page with a soroll area that contains information relating to the sub-autegories of the selected category. In this say, the seroll area can be used to browse through the emitties (i.e., categories and items) of a hierarchy. The display system generates the web pages dynamically by accessing information describing the browse hierarchy which may be stored in a database. The information related to an entity may include images and textual description of the entity.

The display system allows a user to select the speed and direction of the scrolling. In one embodiment, the display system provides a speed scroll aren through which a user can indicate the speed and direction of the scrolling. When a user selects the right half of the speed scroll area, the information in the scroll area scrolls to the left to browse to information to the right. When the user selects the left half of the speed scroll area, the information in the scroll area scrolls to right to browse to information to the left. The distance from the center of the speed soroll area that the user selects indicates the speed of the sorolling. In particular, when the user selects a portion of the speed scrotl area that is farthest from the center, then the scrolling is the fastest. When the user selects the center of the speed scroll area, the scrolling stops. The selection of a portion of the speed scroll area may occur when the user positions the cursor over the speed scroll area. When a user moves the cursor outside of the speed scroll area, the scrolling may continue at the last designated speed and direction or it may stop. For example, if a user moves the cursor from the speed scroll area to the scroll area, the display system may stop the scrolling to allow the user an opportunity to select information in the scroll area. In one embodiment, the display system may decolorate the scrolling when stopping, rather than immediately stopping to present a more visually pleasing effect.

Figures 1-6 illustrate example web pages generated by the display system in one embodiment. In this example, the display system allows usors to browse through items that are for rate in a furniture store. The items in the furniture store are hierarchically arganized (e.g., "bedrooms" and "master bodroom"). Figure 1 illustrates the layout of a web page that uses a carousel. Web page 100 includes a hierarchy path area 101, scroll area 102, speed seroll area 103, category information area 104, sub-category information area 105, and navigation area 106. The hierarchy path area lists the names of the categories in the path from the root category of the hierarchy to the currently selected category. In this example, the web page 1s displaying information for the category "shop by lifestyle." The seroll area includes information relating to the sub-categories of "coastar" 107. "classic" 108, "English

country" 109, and "urban" 110. The information for each sub-category includes an image related to that sub-category. The speed scroll area, in this example, is separate from the seroll area. When a user positions the cursor within the speed scroll area, the speed of the scrolling is adjusted. When the cursor is positioned in the right half of the speed scroll area. then the information in the scroll area is scrolled to the teft as a new information is displayed on the right. When the cursor is positioned in the left half of the speed scroll area, then the information in the scroll area is scrolled to the right as new information is displayed on the left. The distance from the center point 111 of the speed scroll area indicates the speed of the serolling. When the cursor is positioned at the left-most or right-most part of the scroll area, then scrolling is at its highest speed. The category information area displays information relating to the currently selected category which in this example is the "shon by lifestyle" category. When the user positions the cursor over information in the scroll area, then the display system displays additional information related to the corresponding subcategory in the sub-category information area. In this example, the sub-category information area is displaying information relating to the "English country" sub-category. The navigation area allows the user to select various other web pages such as a shopping basket web page.

Figure 2 Illustrates the scrolling of the information in a carcussel of a web page. Web page 200 corresponds to web page 100 with the information in its carcussel serolled to the left. In this example, scroll area 202 contains information relating to the sub-categories serolled in from the left relative to the information for scroll area 102 of Figure 1. For example, the information for the "urban" sub-category is shown at position 110 in Figure 1 and is shown moved to the left at position 210 in Figure 2. As the information in the acroll in this ocample, information for additional sub-categories is displayed at the right. In this ocample, information relating to the "ucustal" sub-category. In Figure 1, information for the "coastal" sub-category in the information in the right-most area of the scroll area displays information relating to the "coastal" sub-category. In Figure 1, information for the "coastal" sub-category on the scroll area. Thus, the displaying of the Information relating to the "coastal" sub-category on the right of the scroll area corresponds to rotating scrolling, that is, the last information is followed by the first information and vice versa when scrolling in the other direction. The information in the sub-category information area corresponds to the sub-category that was last adeceded by the user.

Figure 3 illustrates a web page in which the user has moved the curror over information for a new sub-category in the carousel. Web page 300 cumains the scroll area 302 that corresponds to the scroll area of Figure 2. The sub-category information area 305, however, contains information relating to the "usuic" sub-category, rather than the "English country" sub-category, the display system displays additional information relating to that sub-category, the display system displays additional information relating to that sub-category in the sub-category in fromation area.

Figure 4 illustrates a web page in which a user has selected to browse down the hierarchy by selecting information for a sub-category in the carousel. Web page 4001 contains a scroll area 402 with information relating to sub-categories of the "English country" category. In this example, the sub-categories of the "English country" category are "living room" and "bedroom." In this example, the scroll area also contains information relating to items within the "living room" and "bedroom" sub-categories, that is, the lowest level categories and the items within each of those categories are displayed together within the carousel. The Information 407 relates to the "living room" sub-category. The information areas 408-412 contain information related to items within the "living room" subcategory. For example, information area 408 contains the image of a sofa that is currently described in sub-category information area 405. Although in this example, the display system is displaying information relating to a leaf sub-category along with the items within that subcategory at the same time, one skilled in the an would appreciate that the leaf subcategories could be displayed by themselves in the scroll area and the information relating to the items within the leaf sub-categories could be displayed when the information relating to "that leaf sub-category is selected.

Figure 5 illustrates a web page after a user has selected the "living room" subcategory. Web page 500 includes the sub-category information area that contains additional infarmation about the "living room" sub-category. The display system displays this additional information when a user moves the cursor over the information area 507 for the "living room" sub-category in the seroil area 502.

Figure 6 illustrates a web page after a user has selected an item within a subcategory. Web page 600 includes a sub-category information area 605 that contains additional information about the item described in information area 609 of the scroll area 602. The display system displays this additional information when a user moves the cursor over the information area 609. Figure 7 is a block diagram illustrating components of the display system is one embodiment. The elient computers 701 and the server computer 700 are interconnected via the Internet. 702. The computers may include a central processing unit, memory, input devices (e.g., keyboard and pointing device), output devices (e.g., display devices), and storage devices (e.g., disk drives). The memory and storage devices are computer-readable media that may contain computer instructions that implement the display system. The elient computers may include a browser to access web pages of the server computer via the internet. The server computer implements the display system and includes a conventional server engine 705, a product (item) database 706, a product hierarchy 707, and a generate web pages component 708. The server engine receives requests for resources (e.g. web pages) was the internet and coordinates the generation and transmission of the resources. The generate web pages component receives requests for web pages corresponding to categories within the product hierarchy and generates web pages for those categories.

One skilled in the an will approxime the concepts of the display system can be used in eavironments ofner than the World Wide Web. For example, the display system can be agenerate displays that use a carousel to display theiracelucial information without using web pages by directly writing information to a display or by generating display pages (other than HTML-based web pages) for controlling the display of information. Also, various communication channels, other than the internet may be used such as a local stream entwork, a wide area network, or a point-to-point, dial-up connection. The server system may also comprise any combination of hardware or software that can support the display system. In particular, the web server may actually include multiple computers. A client system may combination of hardware and software that internets with the server system.

Figure 8 is a block diagram illustrating a portion of an example hierarchy. Each entity in the hierarchy is represented by a node. In this example, the portion of the hierarchy corresponds to the sub-categories relating to a familiure store. The "furniture store" entegory is represented by node 801. The "furniture store" entegory is the sub-categories of "linglish country," "urhan," "rustic," "coastal," and "classic" as represented by nodes 802-806, respectively. The "lenglish country" sub-category has sub-categories that include the "bordroom" sub-category and the "living room" sub-category as represented by nodes 807-808. The "living room" sub-category includes a sofa item and a hox item as represented by leaf nodes 809-810. Figure 9 is a block diagram illustrating the contents of a node in the example hierarchy. The node 901 corresponds to a category within the hierarchy. The node contains a node image 902, a node description 903, a node title 904, shidren background image 905, and a child node table 906. The display system uses the node image as the information to display in the stroll area for the category or item. The display system displays the node description in the sub-category information area when that onlegory is selected by moving the cursor over the information area for that eategory. The node title is used to display the name of the category. The display system may overlay of the children background image over the images of the sub-categories for that category. The child node table contains pointers to the child nodes.

Figure 10 is a flow diagram illustrating the processing of generating a web page for a specific category. The function that performs this processing is passed in the identifier of the category. The identifier of a category may include the name of each node within the hierarchy from the root node to the node representing that category. In step 1001, the function locates the category node in the product hierarchy. The category node may be located by traversing the hierarchy starting from the root node and visiting each node indicated in the identifier of the passed category. In steps 1002-1005, the function loops retrieving information relating to a sub-category of the passed entegory. In step 1002, the function selects the next child node of the located node. In step 1003, if all the child nodes have already been selected, the function continues at sten 1004, else the function continues at step 1006. In step 1004, the function adds the link to the image of the selected child node to the web page. In step 1005, the function adds the description of the selected child node to the web page and loops to step 1002 to select the next child and loops to step 1002 to select the next child node. Although the description is added to the web page, it may not be visible until the corresponding category is selected. In step 1006, the function adds the description of the located node to the category information area of the web page. In step 1007, the function adds the hierarchy path to the category to the hierarchy area of the web page. This step corresponds to the storing of the information in the hierarchy area of a web page. In step 1008, the function adds the speed control area to the web page. In step 1008, the function adds the background image of the category to its child images and then completes.

Figure 11 is a flow diagram illustrating the processing to advance the display within the seroll area. This function that implements this processing executes on a client computer and is invoked frequently (e.g., every 10th of a second) to that the scrolling can be affected with minimal flickering. In step 1101, the function calculates the time since the scroll area was last updated. In step 1102, the function calculates the number of pixels to advance the images in the seroll area based on the scrolling speed in pixels per second. In the process of the seroll area information is to be displayed at the center of the scroll area fine and the start to the end of the information. Since the start follows the end, the center point is the remainder of the current center plus the number of pixels to advance divided by the length of the information to be displayed in the caroussel. In step 1104, the function generates the caroussel image to be displayed in step 1105, the function displays the generated caroustel image and completes.

Figure 12 is a flow diagram illustrating processing for determining the speed based on selection of the speed scroll area. In step 1201, the function determines the distance between the position of the cursor and the center position of the speed scroll area list the 1202, the function sets the speed and direction of the scrolling. The direction is indicated by the sign (i.e., positive or negative) of the speed. The function then completes.

From the foregoing, it will be appreciated that although specific embediments of the purchasing system have been described for purposes of illustration, various modifications may be made without deviating from the spirit and the scope of the invention. Accordingly, the invention is not limited except by the following claims.

4. Brief Description of the Brawings

Figure 1 illustrates the layout of a web page that uses a carousel.

Figure 2 illustrates the scrolling of the information in a casousel of a web page

Figure 3 illustrates a web page in which the user has moved the cursor over information for a new sub-category in the carousel.

Figure 4 illustrates a web page in which a user has selected to browse down the hierarchy by selecting information for a sub-category in the carousel.

Figure 5 illustrates a web page after a user has selected the "living room" subcategory.

Figure 6 illustrates a web page after a user has selected an item within a subcategory.

Figure 7 is a block diagram illustrating components of the display system in one embodiment.


Figure 8 is a block diagram illustrating a portion of an example hierarchy.

Figure 9 is a block diagram illustrating the contents of a node in the example hierarchy


Figure 10 is a flow diagram illustrating the processing of generating a web page for a specific category.


Figure 11 is a flow diagram illustrating the processing to advance the display within the scroll area.


Figure 12 is a flow diagram illustrating processing for determining the speed based on selection of the speed scroll area.




7

























Fig 10





FIEIZ

1. Abstract

A method and system for displaying hierarchically related information. The display system displays information related to various categories within the hierarchy on a display so that it serolls across the display. When a next selects the displayed information for a category, the display system displays information relating to sub-categories within the selected category so that the information serolls across the display. The display system scrolls the information in a rotating manner such that the start of the information follows the end of the information. The display system also dynamically generates display pages that contain the information. The display system may retrieve the information describing the categories and sub-categories from a database after a request to retrieve the information is received to dynamically generate the display page.

2. Representative Drawing

F [G. 1